

Specification sheet - GIZA Extrusion ref. number B5556

PRODUCT DESCRIPTION

Architectural extrusion for LED tape – dedicated to be mounted into ceilings and drywall. The height of the extrusion was designed to produce a single line of light with LEDs spaced 15 mm (0.59") apart and a frosted cover HS 22.

Patent Number: US D724,256S

- Multiple mounting methods
- Three types of dedicated covers
- Can be connected into linear straight or broken runs
- Ability to create a line of light




Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

B5556ANODA_1	Silver anodized	39.4"
B5556ANODA_2	Silver anodized	78.75"
B5556ANODA_3	Silver anodized	118.11"





Specification sheet - GIZA Extrusion ref. number B5556

RELATED EXTRUSIONS




Ref: B5555V1NA



RELATED PRODUCTS

COVERS





Specification sheet - GIZA Extrusion ref. number B5556

END CAPS



Ref: 24035



Ref: 24030



Ref: 24036



Ref: 24007



Ref: 24029

ACCESSORIES



Ref: 42512



Ref: 42716



Ref: 42717



Ref: 00293



Ref: 42719



Ref: 24143




Ref: 42718



Ref: 42728



Specification sheet - GIZA Extrusion ref. number B5556



Ref: 42205



Ref: 42250

Ref: 42501



Specification sheet - GIZA Extrusion ref. number B5556

COUPLERS - connection methods for profiles



L135



L90PW



T90



L135PW



L90PZ



X135



L135PZ



T135L





L90



T135R