


PRODUCT DESCRIPTION

Architectural extrusions for LED tape – dedicated to be mounted into ceilings and drywall. The height of the extrusion was designed to produce a single line of light with LEDs spaced 15 mm (0.59") apart and a frosted cover HS 22. The extrusion can accommodate two of the 10 mm (0.39") wide LED strips. Extrusion can be mounted to a surface with the use of mounting springs.

The bottom side of the LESTO profile does not interfere with the support structure of the ceiling or drywall. This allows mounting a fixture based on this profile in any direction to the existing wall or ceiling.

Patent Number: US D724,258S

- No interference with the structure of drywall ceilings and walls
- Capacidad para crear una línea de luzAbility to create a line of light
- Can be combined in straight and broken linear runs
- Easy mounting
- Masking the uneven edges of grooves




Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	


TECHNICAL SPECIFICATION

B5551ANODA_1	Silver anodized	39.4"
B5551ANODA_2	Silver anodized	78.75"




RELATED PRODUCTS

COVERS




Ref: 17022

70°



Ref: 17032V1

110°



Ref: 17011

100°




END CAPS




Ref: 24008


ACCESSORIES




Ref: 42717



Ref: 00838



Ref: 42719



Ref: 42718




Ref: 42716




Ref: 42728


COUPLERS - connection methods for profiles




L135




L135PW




L135PZ




L90




L90PW




L90PZ




T135L




T135R



T90



X135



X90