

## PRODUCT DESCRIPTION

### LINE OF LIGHT


Architectural extrusions for LED tape – dedicated to be mounted into ceilings and drywall. The height of the extrusion was designed to produce a single line of light with LEDs spaced 15 mm (0.59") apart and a frosted cover HS 22. The extrusion can accommodate two of the 10 mm (0.39") wide LED strips. Extrusion can be mounted to a surface with the use of mounting springs.

Patent Number: US D724,259S

- Ability to create a line of light
- Easy mounting using various techniques
- Can be combined in straight and broken linear runs


Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	




## TECHNICAL SPECIFICATION


B5554ANODA_1	Silver anodized	39.4"
B5554ANODA_2	Silver anodized	78.75"
B5554ANODA_3	Silver anodized	118.11"
B5554L9010_3	White RAL	118.11"
B5554K7_3	Black RAL	118.11"



## RELATED EXTRUSIONS




Ref: B5555V1NA



Ref: B6638V1NA

## RELATED PRODUCTS

### COVERS




Ref: 17032V1

110°



Ref: 17022

70°




Ref: 17011


100°




### END CAPS



Ref: 24051




Ref: 24263



Ref: 24004


## ACCESSORIES




Ref: \_




Ref: 42512




Ref: 42717




Ref: \_




Ref: 42719




Ref: \_




Ref: 42718



Ref: 42716




Ref: 00293




Ref: \_




Ref: 24143




Ref: \_




Ref: 42728



Ref: \_




Ref: \_




Ref: \_



Ref: 24271




Ref: \_




Ref: 42720




Ref: 00651



Ref: \_




Ref: 24235




Ref: 70240




Ref: 42256




Ref: 42203



Ref: 24003




Ref: 42204



Ref: 42205



Ref: 42250




Ref: 42501


**COUPLERS** - connection methods for profiles




L135




L135PW




L135PZ




L90




L90PW




L90PZ




T135L




T135R



T90



X135



X90