


## PRODUCT DESCRIPTION

Small dimensions ( just 6 mm; 0.23" high), profile can fit slim design and thin furniture pieces, lightweight, easily release heat, environment friendly.

Patent Number: US D621,542 S

- Minimum dimensions for LED strips 10 mm wide
- Simple assembly
- Versatile application
- Low weight
- Good heat transfer in relation to the surface




Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

## TECHNICAL SPECIFICATION


B1888NA_1	Non anodized (raw)	39.4"
B1888NA_2	Non anodized (raw)	78.75"
B1888ANODA_1	Silver anodized	39.4"
B1888ANODA_2	Silver anodized	78.75"
B1888K7_1	Black anodized	39.4"
B1888K7_2	Black anodized	78.75"
B1888L9010_1	White RAL	39.4"

B1888L9010_2	White RAL	78.75"
--------------	-----------	--------



## RELATED PRODUCTS

### COVERS




Ref: 1370

**110°**




Ref: 17038

**90°**



Ref: 17072

**90°**




Ref: 1369

**110°**



Ref: 17031

**120°**




Ref: 17071

**90°**




### END CAPS




Ref: 00024



Ref: 24068



Ref: 1060



Ref: 42601



Ref: 24062



Ref: 1059



Ref: 24216


## ACCESSORIES




Ref: 42216



Ref: 24190



Ref: 00647




Ref: 24041




Ref: 42218



Ref: 00645



Ref: 42150



Ref: 42101



Ref: 42215




Ref: 42213



Ref: 24270




Ref: 00651




Ref: 24223




Ref: 24189



Ref: 1345



Ref: 70240




Ref: 42501


**COUPLERS** - connection methods for profiles




L135




L135PW




L135PZ




L90




L90PW




L90PZ




T135L




T135R



T90



X135



X90