

PRODUCT DESCRIPTION

The stair extrusion is made from high quality double-anodized aluminum with the option of using LED diodes illuminating the upper and lower half-space. STEP extrusion with the LED light source is used to illuminate stairs, and in particular as a discreet lighting in cinemas, shops, nightclubs and restaurants. In the sealed version, it can also be used for illuminating stairs located in the outer architectural space.

Patent Number: US D698,076 S

- Three lighting options
- With screws appropriately selected for the mounting surface
- High mechanical resistance
- Possibility of lighting up or down




Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	


TECHNICAL SPECIFICATION

B4845ANODA_1	Silver anodized	39.4"
B4845ANODA_2	Silver anodized	78.75"
B4845ANODA_3	Silver anodized	118.11"



RELATED PRODUCTS

COVERS




Ref: 1370

110°





Ref: 17072

90°



Ref: 1369

110°



Ref: 17031

120°



Ref: 17071

90°



END CAPS



Ref: 24126



Ref: 24025



Ref: 00303



Ref: 00304

ACCESSORIES




Ref: 00023


COUPLERS - connection methods for profiles




L135




L135PW




L135PZ




L90




L90PW




L90PZ




T135L




T135R



T90



X135



X90