


Kentau SQ




H (m)	D (m)	E _{max} (lx)
1	3.64	554
2	7.28	139
3	10.92	62
4	14.56	35



Kentau SQ 20W

CÓDIGO	POTENCIA	FLUJO	CCT	COLOR	DIMENSIONES(x-y-z)	CORTE
387538	20W	2.078lm	3.000K	Ni Níquel mate	225 x 225 x 30mm	200 x 200mm
381383	20W	2.187lm	4.000K	Ni Níquel mate	225 x 225 x 30mm	200 x 200mm
381406	20W	2.078lm	3.000K	BI Blanco	225 x 225 x 30mm	200 x 200mm
381390	20W	2.187lm	4.000K	BI Blanco	225 x 225 x 30mm	200 x 200mm
387514	14W	1.473lm	3.000K	Ni Níquel mate	175 x 175 x 30mm	150 x 150mm
387521	14W	1.548lm	4.000K	Ni Níquel mate	175 x 175 x 30mm	150 x 150mm
387491	14W	1.473lm	3.000K	BI Blanco	175 x 175 x 30mm	150 x 150mm
387507	14W	1.548lm	4.000K	BI Blanco	175 x 175 x 30mm	150 x 150mm
387477	9W	887lm	3.000K	Ni Níquel mate	150 x 150 x 30mm	125 x 125mm
387484	9W	930lm	4.000K	Ni Níquel mate	150 x 150 x 30mm	125 x 125mm
387453	9W	887lm	3.000K	BI Blanco	150 x 150 x 30mm	125 x 125mm
387460	9W	930lm	4.000K	BI Blanco	150 x 150 x 30mm	125 x 125mm
387439	6W	527lm	3.000K	Ni Níquel mate	125 x 125 x 30mm	100 x 100mm
387446	6W	563lm	4.000K	Ni Níquel mate	125 x 125 x 30mm	100 x 100mm
387415	6W	527lm	3.000K	BI Blanco	125 x 125 x 30mm	100 x 100mm
387422	6W	563lm	4.000K	BI Blanco	125 x 125 x 30mm	100 x 100mm



Cosp: >0.9
VIDA MEDIA: L70>50.000h
CUERPO: Aluminio
DIFUSOR: Policarbonato


Cosp: >0.9
LIFETIME: L70>50.000h
BODY: Aluminium
DIFFUSER: Polycarbonate

Cosp: >0.9
HEURES DE VIE: L70>50.000h
CORPS: Aluminium
DIFFUSEUR: Polycarbonate


Cosp: >0.9
HORAS DE VIDA: L70>50.000h
CORPO: Alumínio
DIFUSOR: Policarbonato

Kentau SQ

ACCESORIO SUPERFICIE



CÓDIGO	POTENCIA	COLOR	DIMENSIONES (x-y)
387651	20W	 Níquel mate	230 x 230 x 35mm
387644	20W	 Blanco	230 x 230 x 35mm
387637	14W	 Níquel mate	180 x 180 x 35mm
387620	14W	 Blanco	180 x 180 x 35mm
387613	9W	 Níquel mate	155 x 155 x 35mm
387606	9W	 Blanco	155 x 155 x 35mm



CUERPO: Policarbonato

BODY: Polycarbonate

CORPS: Polycarbonate

CORPO: Policarbonato

Kentau SQ

DRIVER 1-10V



 Disponible a partir de Mayo
Available from May
Disponible à partir de Mai
Disponível a partir de Maio



CÓDIGO	POTENCIA	REGULACIÓN
532181	20W	1-10V
532198	14W	1-10V
532204	9W	1-10V
532211	6W	1-10V