

PRODUCT DESCRIPTION

- Mounting to drywall boards
- Line of light flush with the surface
- Non visible aluminum elements

FINISH:

Non anodized (raw)



*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

lob name

Date

TECHNICAL SPECIFICATION

Application

- main, decorative and functional lighting.

Mounting

- in drywall, with mounting adhesive,
- can be easily connected into runs,
- the cover is cut to the length of the profile.

Additional information


- in order to protect the lighting fixture during installation, a TECH-22 protective insert should be used.

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B6454NA_1	Non anodized (raw)	1000 mm
B6454NA_2	Non anodized (raw)	2000 mm
B6454NA_3	Non anodized (raw)	3000 mm



TECHNICAL DRAWING





RELATED PRODUCTS

COVERS

BLACK COVERS



LIGER-22 black Cover Ref: 17087 **80°**



CLEAR COVERS



G-L clear Cover Ref: 17006



HS-22 clear Cover HS-22 cicc. Ref: 17022 **70°**



FROSTED COVERS



LIGER-22 frosted Cover Ref: 17032V1 110°



Ref: 17011 100°



Ref: 17007



G-K frosted Cover G-L frosted Cover Ref: 00413






SEMI-TRANSPARENT COVERS





MUN-22 semitransparent Cover Ref: 17042



transparent Cover transparent Cover Ref: 00415



Ref: 17008



END CAPS

REGULAR END CAPS



KOZEL grey End cap Ref: 24034

ACCESSORIES

COMPONENTS FOR CONNECTING PROFILES



ZM-NA-180 Connector Ref: 42724



ZM-NA-PION-90 Connector Ref: 42726



ZM-NA-60 Connector Ref: 42305



ZM-NA-PION-45 Connector Ref: 42315



ZM-NA-90 Connector Ref: 42723



ZM-NA-PION-60 Connector Ref: 42317



ZM-NA-120 Connector Ref: 42729



ZM-NA-PION-120 Connector Ref: 42321





ZM-NA-135 Connector Ref: 42725



ZM-NA-45 Connector Ref: 42339



ZM-NA-PION-135 Connector Ref: 42727



T135L LIPOD Coupler Ref: _



L135PW LIPOD Coupler Ref: _



L90PZ LIPOD Coupler Ref: _



L90PW LIPOD Coupler Ref: _



L135 LIPOD Coupler Ref: _



L135PZ LIPOD Coupler Ref: _



L90 LIPOD Coupler Ref: _

SEALING COMPONENTS



6.4 x 3.0 Gland Ref: 42264

ADDITIONAL ITEMS



TECH-22 protective insert Ref: 17124



MP-22 white Masking cover Ref: 17167L9010



MP-22 Masking cover black Ref: 17167L9005



MP-22 metallized Masking cover Ref: 17167

LED TAPES

WHITE

្រាកសុខ ស៊េរ៉ូតែ សេវុស្សស៊ុរី សេវុ

LED strip

K-1220-24V

Ref: K-1220-24V

<u>[iing.maging.maging</u>

LED strip K-1910-


Taśma LED WP-


K-1220-12V

HD-24V

Ref: K-1910-HD-24V









K-1220-24V

Taśma LED WP-K-1910-HD-IP65-24V Ref: WP-K-1910-HD-IP65-24V



LED strip WP-K-1220-IP65-12V Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V Ref: WP-K-1220-IP65-24V

HIGH EFFICACY



LED strip K-HE-0480-HD-24V Ref: K-HE-0480-HD-24V



LED strip K-HE-0960-HD-24V Ref: K-HE-0960-HD-24V



LED strip K-HE-1440-HD-24V Ref: K-HE-1440-HD-24V



LED strip K-HE-1920-HD-24V Ref: K-HE-1920-HD-24V



RGB / RGB-W



LED strip K-1275-RGB-12V Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V Ref: K-1275-RGB-24V



LED strip K-1920-RGB+W-24V 19.2W/m Ref: K-1920-RGB+W-24V



LED strip WP-K-1275-RGB-12V Ref: WP-K-1275-RGB-12V



LED strip WP-K-1275-RGB-24V Ref: WP-K-1275-RGB-24V



LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V



LED strip WP-K-1530-RGB+W-24V Ref: WP-K-1530-RGB+W-24V



LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V



LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V

MARKETING MATERIALS



Presentation set 2 Display Ref: 90052 P230-90



Display P230-90154M Ref: 90154M



Display P230-90175M Ref: 90175M



Foam 70424 Ref: 70424